

**AeroDR<sup>®</sup> GL HD-2** is a high-efficiency, definition and dynamic range glassless digital detector solution.



**8 HOURS OF USE**  
ON A 30 MINUTE CHARGE



**HIGH DEFINITION & DYNAMIC RANGE**

CAN SWITCH BETWEEN  
100/200  $\mu$ m




**LIGHTWEIGHT**  
LESS THAN 4.2 LBS



**HIGH SENSITIVITY**  
**72+% DQE**  
(0mR, 1 cyc/mm)



**7 YEAR**  
**POWER CELL**  
**WARRANTY**



**GLASSLESS**  
**DESIGN**

**Built Tough**



**BEND RESISTANCE**  
Up to 286 lbs.



**WATERPROOF**  
IP56 Compliant



**STRONGER**  
Holds up to 881 lbs.



**EASIER TO HOLD**  
60% Less Grip Strength Needed

# The AeroDR<sup>®</sup> GL HD-2 advantage.

The simple way to upgrade to DR. Our affordable and simple-to-install retrofit solutions that add the benefits of Digital Radiography capabilities to your existing x-ray.

Konica Minolta delivers solutions that provide clinical and economic value to meet your needs. The AeroDR Glassless Flat Panel Detectors are our lightest, strongest, and most sensible solution to help you improve efficiency and reduce user fatigue without compromise.



## Increased sensitivity by replacing the glass substrate with a thin film transistor (TFT)

AeroDR Glassless Flat Panel Detectors use a thin film instead of a glass substrate to achieve lighter weight. Removing the glass reduces the distance between the scintillator and the TFT to increase sensitivity. The electronics are optimized to reduce electrical noise. Additionally, the AeroDR GL HD-2 provides longer uptime, High-Definition, and High Dynamic Range options.

## Superb image quality and enhanced workflow

- High-definition and dynamic range imaging at user selected 100/200µm resolution
- Power cell life up to 8 hours on full charge (2 LiC)
- 14" x 17" panel weighs 4.2 lbs/1.9 kg super lightweight, including the capacitors
- 17"x17" panel weighs 5.1 lbs/2.3 kg
- IPX56 dust and liquid resistance (with integrated power supply)
- 4.0 sec AED with AeroSync<sup>®</sup>
- 14"x17" 3,488 x 4,256 (100µ), 17"x17" 4,256 x 4,256 (100µ)
- Image preview in ~2 seconds
- Diagnostic view in 4-7 seconds, depending on pixel size and generator connection

## High-resolution imaging allows greater detail for small structures



For more information about these products, please contact your Konica Minolta Sales Representative.

© 2023 Konica Minolta Healthcare Americas, Inc.



**Konica Minolta Healthcare Americas, Inc.**  
411 Newark Pompton Turnpike  
Wayne, New Jersey 07470  
Tel: +1 (973) 633-1500  
km.marketing@konicaminolta.com  
[healthcare.konicaminolta.us](http://healthcare.konicaminolta.us)

M2088 1222 RevB